

## CERTIFICATE OF ANALYSIS

**Work Order** : **EW1804259**  
**Client** : **WOLLONGONG CITY COUNCIL**  
**Contact** : DELLA KUTZNER  
**Address** : 41 BURELLI STREET  
 WOLLONGONG NSW, AUSTRALIA 2500  
  
**Telephone** : +61 02 4227 7111  
**Project** : Whytes Gully PM10 and TSP  
**Order number** : 3071587  
**C-O-C number** : ----  
**Sampler** : Glenn Davies  
**Site** : Monthly HVAS  
**Quote number** : SY/454/14 Tender  
**No. of samples received** : 4  
**No. of samples analysed** : 4

**Page** : 1 of 2  
**Laboratory** : Environmental Division NSW South Coast  
**Contact** : Glenn Davies  
**Address** : 1/19 Ralph Black Dr, North Wollongong 2500  
 4/13 Geary Pl, North Nowra 2541  
 Australia NSW Australia  
**Telephone** : 02 42253125  
**Date Samples Received** : 17-Oct-2018 10:02  
**Date Analysis Commenced** : 26-Oct-2018  
**Issue Date** : 30-Oct-2018 08:38



Accreditation No. 825  
 Accredited for compliance with  
 ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

**Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.**

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Merrin Avery	Supervisor - Inorganic	Newcastle - Inorganics, Mayfield West, NSW



## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
 LOR = Limit of reporting  
 ^ = This result is computed from individual analyte detections at or above the level of reporting  
 ø = ALS is not NATA accredited for these tests.  
 ~ = Indicates an estimated value.

- NATA accreditation is not held for results reported in  $\mu\text{g}/\text{m}^3$ . Air volume data was provided by the client.

## Analytical Results

Sub-Matrix: FILTER  
 (Matrix: AIR)

Client sample ID

				Glengarry Cottage PM10 9581190	Glengarry Cottage TSP 9531464	Landfill PM10 9581188	Landfill TSP 9581189	----
Client sampling date / time				16-Oct-2018 00:00	16-Oct-2018 00:00	15-Oct-2018 00:00	15-Oct-2018 00:00	----
Compound	CAS Number	LOR	Unit	EW1804259-001	EW1804259-002	EW1804259-003	EW1804259-004	-----
				Result	Result	Result	Result	----
<b>EA143: Particulates in Air - HVAFs</b>								
ø Total Suspended Particulates	----	0.1	$\mu\text{g}/\text{m}^3$	----	33.0	----	15.7	----
ø PM10	----	0.1	$\mu\text{g}/\text{m}^3$	19.1	----	9.8	----	----
Total Suspended Particulates (mass per filter)	----	0.1	mg/filter	----	50.0	----	24.1	----
PM10 (mass per filter)	----	0.1	mg/filter	28.5	----	14.8	----	----