



Environmental

CERTIFICATE OF ANALYSIS

Work Order	: EW1303260	Page	: 1 of 4
Client	: WOLLONGONG CITY COUNCIL	Laboratory	: Environmental Division NSW South Coast
Contact	: MR WAYDE PETERSON	Contact	: Glenn Davies
Address	: 41 BURELLI STREET WOLLONGONG NSW, AUSTRALIA 2500	Address	: 99 Kenny Street, Wollongong 2500 Unit 4 / 13 Geary Place, PO Box 3105, North Nowra 2541 AUSTRALIA
E-mail	: wpeterson@wollongong.nsw.gov.au	E-mail	: glenn.davies@alsglobal.com
Telephone	: +61 02 4227 7111	Telephone	: 02 4225 3125
Facsimile	: +61 02 4227 7277	Facsimile	: 02 4225 3128
Project	: Helensburgh Groundwater Quarterly	QC Level	: NEPM 2013 Schedule B(3) and ALS QCS3 requirement
Order number	: 3015425	Date Samples Received	: 14-NOV-2013
C-O-C number	: ----	Issue Date	: 21-NOV-2013
Sampler	: Craig Wilson	No. of samples received	: 9
Site	: ----	No. of samples analysed	: 9
Quote number	: WL/001/11 Helensburgh Groundwater Quarterly		

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. All pages of this report have been checked and approved for release.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results



NATA Accredited Laboratory 825

Accredited for compliance with
ISO/IEC 17025.

Signatories

This document has been electronically signed by the authorized signatories indicated below. Electronic signing has been carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Celine Conceicao	Senior Spectroscopist	Sydney Inorganics
Glenn Davies	Environmental Services Representative	Laboratory - Wollongong
Hoa Nguyen	Senior Inorganic Chemist	Sydney Inorganics

Address 99 Kenny Street, Wollongong 2500

Environmental Division NSW South Coast, PO Box 3105, North Nowra 2541, Australia. An ALS Limited Company

Environmental

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

^ = This result is computed from individual analyte detections at or above the level of reporting



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)

Client sample ID

Client sampling date / time

				BH 1	BH 2	BH 4	BH 5	BH 6
				14-NOV-2013 10:35	14-NOV-2013 11:20	14-NOV-2013 12:25	14-NOV-2013 10:15	14-NOV-2013 12:10
Compound	CAS Number	LOR	Unit	EW1303260-001	EW1303260-002	EW1303260-003	EW1303260-004	EW1303260-005
EA015: Total Dissolved Solids								
Total Dissolved Solids @180°C	----	1	mg/L	259	462	298	122	224
ED037P: Alkalinity by PC Titrator								
Hydroxide Alkalinity as CaCO3	DMO-210-001	1	mg/L	<1	<1	<1	<1	<1
Carbonate Alkalinity as CaCO3	3812-32-6	1	mg/L	<1	<1	<1	<1	<1
Bicarbonate Alkalinity as CaCO3	71-52-3	1	mg/L	<1	83	<1	<1	45
Total Alkalinity as CaCO3	----	1	mg/L	<1	83	<1	<1	45
ED041G: Sulfate (Turbidimetric) as SO4 2- by DA								
Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	109	65	99	24	61
ED045G: Chloride Discrete analyser								
Chloride	16887-00-6	1	mg/L	65	112	97	48	41
ED093T: Total Major Cations								
Calcium	7440-70-2	1	mg/L	18	11	<1	3	15
Magnesium	7439-95-4	1	mg/L	14	6	5	5	8
Sodium	7440-23-5	1	mg/L	40	118	92	25	42
Potassium	7440-09-7	1	mg/L	<1	23	2	<1	3
EK055G: Ammonia as N by Discrete Analyser								
Ammonia as N	7664-41-7	0.01	mg/L	0.27	3.08	0.09	0.02	0.02
EN67 PK: Field Tests								
pH	----	0.1	pH Unit	5.2	6.4	4.2	4.5	6.3
Depth	----	0.01	m	3.94	2.26	4.30	6.10	3.40
EP005: Total Organic Carbon (TOC)								
Total Organic Carbon	----	1	mg/L	11	25	28	4	14



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)

Client sample ID

Client sampling date / time

				LGMB1	LGMB2	LGMB3	LGMB4	----
				14-NOV-2013 10:25	14-NOV-2013 10:40	14-NOV-2013 11:05	14-NOV-2013 10:55	----
Compound	CAS Number	LOR	Unit	EW1303260-006	EW1303260-007	EW1303260-008	EW1303260-009	----
EA015: Total Dissolved Solids								
Total Dissolved Solids @180°C	----	1	mg/L	149	120	117	151	----
ED037P: Alkalinity by PC Titrator								
Hydroxide Alkalinity as CaCO3	DMO-210-001	1	mg/L	<1	<1	<1	<1	----
Carbonate Alkalinity as CaCO3	3812-32-6	1	mg/L	<1	<1	<1	<1	----
Bicarbonate Alkalinity as CaCO3	71-52-3	1	mg/L	13	2	17	2	----
Total Alkalinity as CaCO3	----	1	mg/L	13	2	17	2	----
ED041G: Sulfate (Turbidimetric) as SO4 2- by DA								
Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	68	37	20	34	----
ED045G: Chloride Discrete analyser								
Chloride	16887-00-6	1	mg/L	20	46	34	13	----
ED093T: Total Major Cations								
Calcium	7440-70-2	1	mg/L	8	7	10	9	----
Magnesium	7439-95-4	1	mg/L	6	5	5	4	----
Sodium	7440-23-5	1	mg/L	27	28	16	8	----
Potassium	7440-09-7	1	mg/L	2	3	3	24	----
EK055G: Ammonia as N by Discrete Analyser								
Ammonia as N	7664-41-7	0.01	mg/L	0.01	0.01	0.19	0.02	----
EN67 PK: Field Tests								
pH	----	0.1	pH Unit	5.1	4.7	5.4	4.7	----
Depth	----	0.01	m	3.05	3.26	3.14	3.04	----
EP005: Total Organic Carbon (TOC)								
Total Organic Carbon	----	1	mg/L	27	10	11	12	----