



Environmental

CERTIFICATE OF ANALYSIS

Work Order	: EW1402355	Page	: 1 of 8
Client	: WOLLONGONG CITY COUNCIL	Laboratory	: Environmental Division NSW South Coast
Contact	: MR WAYDE PETERSON	Contact	: Glenn Davies
Address	: 41 BURELLI STREET WOLLONGONG NSW, AUSTRALIA 2500	Address	: 99 Kenny Street, Wollongong 2500 Unit 4 / 13 Geary Place, PO Box 3105, North Nowra 2541 AUSTRALIA
E-mail	: wpeterson@wollongong.nsw.gov.au	E-mail	: glenn.davies@alsglobal.com
Telephone	: +61 02 4227 7111	Telephone	: 02 4225 3125
Facsimile	: +61 02 4227 7277	Facsimile	: 02 4225 3128
Project	: Helensburgh Leachate Annual	QC Level	: NEPM 2013 Schedule B(3) and ALS QCS3 requirement
Order number	: 3030159	Date Samples Received	: 07-AUG-2014
C-O-C number	: ----	Issue Date	: 15-AUG-2014
Sampler	: Craig Wilson	No. of samples received	: 1
Site	: ----	No. of samples analysed	: 1
Quote number	: WL/001/11 Helensburgh Leachate Annual		

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. All pages of this report have been checked and approved for release.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results
- Surrogate Control Limits



NATA Accredited Laboratory 825

Accredited for compliance with
ISO/IEC 17025.

Signatories

This document has been electronically signed by the authorized signatories indicated below. Electronic signing has been carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Ankit Joshi	Inorganic Chemist	Sydney Inorganics
Glenn Davies	Environmental Services Representative	Laboratory - Wollongong
Pabi Subba	Senior Organic Chemist	Sydney Organics
Shobhna Chandra	Metals Coordinator	Sydney Inorganics

Address 99 Kenny Street, Wollongong 2500

Environmental Division NSW South Coast, PO Box 3105, North Nowra 2541, Australia. An ALS Limited Company

Environmental

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

^ = This result is computed from individual analyte detections at or above the level of reporting

- **Benzo(a)pyrene Toxicity Equivalent Quotient (TEQ) is the sum total of the concentration of the eight carcinogenic PAHs multiplied by their Toxicity Equivalence Factor (TEF) relative to Benzo(a)pyrene. TEF values are provided in brackets as follows: Benz(a)anthracene (0.1), Chrysene (0.01), Benzo(b+j) & Benzo(k)fluoranthene (0.1), Benzo(a)pyrene (1.0), Indeno(1.2.3.cd)pyrene (0.1), Dibenz(a,h)anthracene (1.0), Benzo(g,h,i)perylene (0.01). Less than LOR results for 'TEQ Zero' are treated as zero.**
- **Sampling and sample data supplied by ALS Wollongong.**



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)

Client sample ID

Client sampling date / time

				Leachate	---	---	---	---
				07-AUG-2014 11:10	---	---	---	---
				EW1402355-001	---	---	---	---
Compound	CAS Number	LOR	Unit					
EA010P: Conductivity by PC Titrator								
Electrical Conductivity @ 25°C	---	1	µS/cm	1600	---	---	---	---
EA015: Total Dissolved Solids								
Total Dissolved Solids @180°C	---	1	mg/L	781	---	---	---	---
EA025: Suspended Solids								
Suspended Solids (SS)	---	5	mg/L	30	---	---	---	---
ED009: Anions								
Fluoride	16984-48-8	0.02	mg/L	<0.02	---	---	---	---
ED037P: Alkalinity by PC Titrator								
Hydroxide Alkalinity as CaCO3	DMO-210-001	1	mg/L	<1	---	---	---	---
Carbonate Alkalinity as CaCO3	3812-32-6	1	mg/L	<1	---	---	---	---
Bicarbonate Alkalinity as CaCO3	71-52-3	1	mg/L	673	---	---	---	---
Total Alkalinity as CaCO3	---	1	mg/L	673	---	---	---	---
ED041G: Sulfate (Turbidimetric) as SO4 2- by DA								
Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	62	---	---	---	---
ED045G: Chloride Discrete analyser								
Chloride	16887-00-6	1	mg/L	119	---	---	---	---
ED093T: Total Major Cations								
Calcium	7440-70-2	1	mg/L	87	---	---	---	---
Magnesium	7439-95-4	1	mg/L	45	---	---	---	---
Sodium	7440-23-5	1	mg/L	136	---	---	---	---
Potassium	7440-09-7	1	mg/L	44	---	---	---	---
EG020T: Total Metals by ICP-MS								
Aluminium	7429-90-5	0.01	mg/L	0.15	---	---	---	---
Arsenic	7440-38-2	0.001	mg/L	0.004	---	---	---	---
Barium	7440-39-3	0.001	mg/L	0.228	---	---	---	---
Cadmium	7440-43-9	0.0001	mg/L	<0.0001	---	---	---	---
Cobalt	7440-48-4	0.001	mg/L	0.002	---	---	---	---
Chromium	7440-47-3	0.001	mg/L	0.002	---	---	---	---
Copper	7440-50-8	0.001	mg/L	0.470	---	---	---	---
Manganese	7439-96-5	0.001	mg/L	0.282	---	---	---	---
Lead	7439-92-1	0.001	mg/L	0.035	---	---	---	---
Zinc	7440-66-6	0.005	mg/L	0.056	---	---	---	---

EG035T: Total Recoverable Mercury by FIMS



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)

Client sample ID

Client sampling date / time

				Leachate	---	---	---	---
				07-AUG-2014 11:10	---	---	---	---
				EW1402355-001	---	---	---	---
Compound	CAS Number	LOR	Unit					
EG035T: Total Recoverable Mercury by FIMS - Continued								
Mercury	7439-97-6	0.0001	mg/L	<0.0001	---	---	---	---
EG050T: Total Hexavalent Chromium								
Hexavalent Chromium	18540-29-9	0.01	mg/L	<0.01	---	---	---	---
EK055G: Ammonia as N by Discrete Analyser								
Ammonia as N	7664-41-7	0.01	mg/L	31.1	---	---	---	---
EK057G: Nitrite as N by Discrete Analyser								
Nitrite as N	----	0.01	mg/L	0.03	---	---	---	---
EK058G: Nitrate as N by Discrete Analyser								
Nitrate as N	14797-55-8	0.01	mg/L	0.36	---	---	---	---
EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser								
Nitrite + Nitrate as N	----	0.01	mg/L	0.39	---	---	---	---
EK067G: Total Phosphorus as P by Discrete Analyser								
Total Phosphorus as P	----	0.01	mg/L	0.17	---	---	---	---
EN67 PK: Field Tests								
pH	----	0.1	pH Unit	7.2	---	---	---	---
EP005: Total Organic Carbon (TOC)								
Total Organic Carbon	----	1	mg/L	37	---	---	---	---
EP035G: Total Phenol by Discrete Analyser								
Phenols (Total)	----	0.05	mg/L	<0.05	---	---	---	---
EP068A: Organochlorine Pesticides (OC)								
alpha-BHC	319-84-6	0.5	µg/L	<0.5	---	---	---	---
Hexachlorobenzene (HCB)	118-74-1	0.5	µg/L	<0.5	---	---	---	---
beta-BHC	319-85-7	0.5	µg/L	<0.5	---	---	---	---
gamma-BHC	58-89-9	0.5	µg/L	<0.5	---	---	---	---
delta-BHC	319-86-8	0.5	µg/L	<0.5	---	---	---	---
Heptachlor	76-44-8	0.5	µg/L	<0.5	---	---	---	---
Aldrin	309-00-2	0.5	µg/L	<0.5	---	---	---	---
Heptachlor epoxide	1024-57-3	0.5	µg/L	<0.5	---	---	---	---
trans-Chlordane	5103-74-2	0.5	µg/L	<0.5	---	---	---	---
alpha-Endosulfan	959-98-8	0.5	µg/L	<0.5	---	---	---	---
cis-Chlordane	5103-71-9	0.5	µg/L	<0.5	---	---	---	---
Dieldrin	60-57-1	0.5	µg/L	<0.5	---	---	---	---
4,4'-DDE	72-55-9	0.5	µg/L	<0.5	---	---	---	---



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)

Client sample ID

				Leachate	---	---	---	---
				07-AUG-2014 11:10	---	---	---	---
				EW1402355-001	---	---	---	---
Compound	CAS Number	LOR	Unit					
EP068A: Organochlorine Pesticides (OC) - Continued								
Endrin	72-20-8	0.5	µg/L	<0.5	---	---	---	---
beta-Endosulfan	33213-65-9	0.5	µg/L	<0.5	---	---	---	---
4,4'-DDD	72-54-8	0.5	µg/L	<0.5	---	---	---	---
Endrin aldehyde	7421-93-4	0.5	µg/L	<0.5	---	---	---	---
Endosulfan sulfate	1031-07-8	0.5	µg/L	<0.5	---	---	---	---
4,4'-DDT	50-29-3	2.0	µg/L	<2.0	---	---	---	---
Endrin ketone	53494-70-5	0.5	µg/L	<0.5	---	---	---	---
Methoxychlor	72-43-5	2.0	µg/L	<2.0	---	---	---	---
EP068B: Organophosphorus Pesticides (OP)								
Dichlorvos	62-73-7	0.5	µg/L	<0.5	---	---	---	---
Demeton-S-methyl	919-86-8	0.5	µg/L	<0.5	---	---	---	---
Monocrotophos	6923-22-4	2.0	µg/L	<2.0	---	---	---	---
Dimethoate	60-51-5	0.5	µg/L	<0.5	---	---	---	---
Diazinon	333-41-5	0.5	µg/L	<0.5	---	---	---	---
Chlorpyrifos-methyl	5598-13-0	0.5	µg/L	<0.5	---	---	---	---
Parathion-methyl	298-00-0	2.0	µg/L	<2.0	---	---	---	---
Malathion	121-75-5	0.5	µg/L	<0.5	---	---	---	---
Fenthion	55-38-9	0.5	µg/L	<0.5	---	---	---	---
Chlorpyrifos	2921-88-2	0.5	µg/L	<0.5	---	---	---	---
Parathion	56-38-2	2.0	µg/L	<2.0	---	---	---	---
Pirimphos-ethyl	23505-41-1	0.5	µg/L	<0.5	---	---	---	---
Chlorfenvinphos	470-90-6	0.5	µg/L	<0.5	---	---	---	---
Bromophos-ethyl	4824-78-6	0.5	µg/L	<0.5	---	---	---	---
Fenamiphos	22224-92-6	0.5	µg/L	<0.5	---	---	---	---
Prothiofos	34643-46-4	0.5	µg/L	<0.5	---	---	---	---
Ethion	563-12-2	0.5	µg/L	<0.5	---	---	---	---
Carbophenothion	786-19-6	0.5	µg/L	<0.5	---	---	---	---
Azinphos Methyl	86-50-0	0.5	µg/L	<0.5	---	---	---	---
EP075(SIM)B: Polynuclear Aromatic Hydrocarbons								
Naphthalene	91-20-3	1.0	µg/L	<1.0	---	---	---	---
Acenaphthylene	208-96-8	1.0	µg/L	<1.0	---	---	---	---
Acenaphthene	83-32-9	1.0	µg/L	<1.0	---	---	---	---
Fluorene	86-73-7	1.0	µg/L	<1.0	---	---	---	---
Phenanthrene	85-01-8	1.0	µg/L	<1.0	---	---	---	---



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)

Client sample ID

Client sampling date / time

				Leachate	----	----	----	----
				07-AUG-2014 11:10	----	----	----	----
				EW1402355-001	----	----	----	----
Compound	CAS Number	LOR	Unit					
EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued								
Anthracene	120-12-7	1.0	µg/L	<1.0	----	----	----	----
Fluoranthene	206-44-0	1.0	µg/L	<1.0	----	----	----	----
Pyrene	129-00-0	1.0	µg/L	<1.0	----	----	----	----
Benz(a)anthracene	56-55-3	1.0	µg/L	<1.0	----	----	----	----
Chrysene	218-01-9	1.0	µg/L	<1.0	----	----	----	----
Benzo(b+j)fluoranthene	205-99-2	1.0	µg/L	<1.0	----	----	----	----
Benzo(k)fluoranthene	207-08-9	1.0	µg/L	<1.0	----	----	----	----
Benzo(a)pyrene	50-32-8	0.5	µg/L	<0.5	----	----	----	----
Indeno(1.2.3.cd)pyrene	193-39-5	1.0	µg/L	<1.0	----	----	----	----
Dibenz(a.h)anthracene	53-70-3	1.0	µg/L	<1.0	----	----	----	----
Benzo(g.h.i)perylene	191-24-2	1.0	µg/L	<1.0	----	----	----	----
EP080/071: Total Petroleum Hydrocarbons								
C6 - C9 Fraction	----	20	µg/L	<20	----	----	----	----
C10 - C14 Fraction	----	50	µg/L	<50	----	----	----	----
C15 - C28 Fraction	----	100	µg/L	180	----	----	----	----
C29 - C36 Fraction	----	50	µg/L	<50	----	----	----	----
^ C10 - C36 Fraction (sum)	----	50	µg/L	180	----	----	----	----
EP080: BTEXN								
Benzene	71-43-2	1	µg/L	<1	----	----	----	----
Toluene	108-88-3	2	µg/L	<2	----	----	----	----
Ethylbenzene	100-41-4	2	µg/L	<2	----	----	----	----
meta- & para-Xylene	108-38-3 106-42-3	2	µg/L	<2	----	----	----	----
ortho-Xylene	95-47-6	2	µg/L	<2	----	----	----	----
EP068S: Organochlorine Pesticide Surrogate								
Dibromo-DDE	21655-73-2	0.1	%	70.8	----	----	----	----
EP068T: Organophosphorus Pesticide Surrogate								
DEF	78-48-8	0.1	%	71.7	----	----	----	----
EP075(SIM)S: Phenolic Compound Surrogates								
Phenol-d6	13127-88-3	0.1	%	23.1	----	----	----	----
2-Chlorophenol-D4	93951-73-6	0.1	%	45.9	----	----	----	----
2,4,6-Tribromophenol	118-79-6	0.1	%	83.7	----	----	----	----
EP075(SIM)T: PAH Surrogates								
2-Fluorobiphenyl	321-60-8	0.1	%	59.6	----	----	----	----



Analytical Results

Sub-Matrix: **WATER** (Matrix: **WATER**)

Client sample ID

Leachate	----	----	----	----
07-AUG-2014 11:10	----	----	----	----
EW1402355-001	----	----	----	----

Client sampling date / time

Compound	CAS Number	LOR	Unit					
EP075(SIM)T: PAH Surrogates - Continued								
Anthracene-d10	1719-06-8	0.1	%	72.1	----	----	----	----
4-Terphenyl-d14	1718-51-0	0.1	%	65.9	----	----	----	----
EP080S: TPH(V)/BTEX Surrogates								
1,2-Dichloroethane-D4	17060-07-0	0.1	%	101	----	----	----	----
Toluene-D8	2037-26-5	0.1	%	102	----	----	----	----
4-Bromofluorobenzene	460-00-4	0.1	%	98.8	----	----	----	----



Surrogate Control Limits

Sub-Matrix: WATER		Recovery Limits (%)	
Compound	CAS Number	Low	High
EP068S: Organochlorine Pesticide Surrogate			
Dibromo-DDE	21655-73-2	30	120
EP068T: Organophosphorus Pesticide Surrogate			
DEF	78-48-8	26.8	129
EP075(SIM)S: Phenolic Compound Surrogates			
Phenol-d6	13127-88-3	10.0	44
2-Chlorophenol-D4	93951-73-6	14	94
2,4,6-Tribromophenol	118-79-6	17	125
EP075(SIM)T: PAH Surrogates			
2-Fluorobiphenyl	321-60-8	20	104
Anthracene-d10	1719-06-8	27.4	113
4-Terphenyl-d14	1718-51-0	32	112
EP080S: TPH(V)/BTEX Surrogates			
1,2-Dichloroethane-D4	17060-07-0	71	137
Toluene-D8	2037-26-5	79	131
4-Bromofluorobenzene	460-00-4	70	128