

CERTIFICATE OF ANALYSIS

<p>Work Order : EW1202339</p> <p>Client : WOLLONGONG CITY COUNCIL</p> <p>Contact : MR WAYDE PETERSON</p> <p>Address : 41 BURELLI STREET WOLLONGONG NSW, AUSTRALIA 2500</p> <p>E-mail : wpeterson@wollongong.nsw.gov.au</p> <p>Telephone : +61 02 4227 7111</p> <p>Facsimile : +61 02 4227 7277</p> <p>Project : Helensburgh Pony Club Quarterly</p> <p>Order number : 3001821</p> <p>C-O-C number : ----</p> <p>Sampler : Craig Wilson</p> <p>Site : ----</p> <p>Quote number : WL/001/11 Helensburgh Pony Club</p>	<p>Page : 1 of 3</p> <p>Laboratory : Environmental Division NSW South Coast</p> <p>Contact : Glenn Davies</p> <p>Address : 99 Kenny Street, Wollongong 2500 Unit 4 / 13 Geary Place, PO Box 3105, North Nowra 2541 AUSTRALIA</p> <p>E-mail : glenn.davies@alsglobal.com</p> <p>Telephone : 02 4225 3125</p> <p>Facsimile : 02 4225 3128</p> <p>QC Level : NEPM 1999 Schedule B(3) and ALS QCS3 requirement</p> <p>Date Samples Received : 23-AUG-2012</p> <p>Issue Date : 03-SEP-2012</p> <p>No. of samples received : 1</p> <p>No. of samples analysed : 1</p>
--	---

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. All pages of this report have been checked and approved for release.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results



NATA Accredited Laboratory 825

Accredited for compliance with
ISO/IEC 17025.

Signatories

This document has been electronically signed by the authorized signatories indicated below. Electronic signing has been carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Celine Conceicao	Senior Spectroscopist	Sydney Inorganics
Glenn Davies	Environmental Services Representative	Laboratory - Wollongong
Sarah Axisa	Microbiologist	Sydney Microbiology
Sarah Millington	Senior Inorganic Chemist	Sydney Inorganics



General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

^ = This result is computed from individual analyte detections at or above the level of reporting

- **Microbiological Comment: Membrane filtration results are reported as approximate (~) due to the growth of bacteria on the filter membrane being counted <10cfu and/or >100cfu. It may be informative to record this fact.**
- **MW006 is ALS's internal code and is equivalent to AS4276.7.**



Analytical Results

Sub-Matrix: **WATER**

Client sample ID

SW Pony Club

Client sampling date / time

23-AUG-2012 08:55

Compound	CAS Number	LOR	Unit	EW1202339-001	----	----	----	----
EA015: Total Dissolved Solids								
Total Dissolved Solids @180°C	GIS-210-010	1	mg/L	616	----	----	----	----
ED093T: Total Major Cations								
Potassium	7440-09-7	1	mg/L	34	----	----	----	----
EK055G: Ammonia as N by Discrete Analyser								
Ammonia as N	7664-41-7	0.01	mg/L	16.2	----	----	----	----
EN67 PK: Field Tests								
pH	----	0.1	pH Unit	7.2	----	----	----	----
Electrical Conductivity (Non Compensated)	----	1	µS/cm	1240	----	----	----	----
Dissolved Oxygen	----	0.01	mg/L	7.22	----	----	----	----
Redox Potential	----	0.1	mV	29.0	----	----	----	----
EP005: Total Organic Carbon (TOC)								
Total Organic Carbon	----	1	mg/L	11	----	----	----	----
MW006: Faecal Coliforms & E.coli by MF								
Faecal Coliforms	----	1	CFU/100mL	~8	----	----	----	----