

## CERTIFICATE OF ANALYSIS

**Work Order** : **EW1902115**  
**Client** : **WOLLONGONG CITY COUNCIL**  
**Contact** : DELLA KUTZNER  
**Address** : 41 BURELLI STREET  
                   WOLLONGONG NSW, AUSTRALIA 2500  
  
**Telephone** : +61 02 4227 7111  
**Project** : Whytes Gully PM10 and TSP  
**Order number** : 3088330  
**C-O-C number** : ----  
**Sampler** : ----  
**Site** : Monthly HVAS & Dust  
**Quote number** : WO/005/18 Monthly HVAS & Dust  
**No. of samples received** : 4  
**No. of samples analysed** : 4

**Page** : 1 of 2  
**Laboratory** : Environmental Division NSW South Coast  
**Contact** : Glenn Davies  
**Address** : 1/19 Ralph Black Dr, North Wollongong 2500  
                   4/13 Geary Pl, North Nowra 2541  
                   Australia NSW Australia  
**Telephone** : 02 42253125  
**Date Samples Received** : 15-May-2019 14:42  
**Date Analysis Commenced** : 21-May-2019  
**Issue Date** : 21-May-2019 16:32



Accreditation No. 825  
 Accredited for compliance with  
 ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

**Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.**

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Merrin Avery	Supervisor - Inorganic	Newcastle - Inorganics, Mayfield West, NSW



## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
 LOR = Limit of reporting  
 ^ = This result is computed from individual analyte detections at or above the level of reporting  
 ø = ALS is not NATA accredited for these tests.  
 ~ = Indicates an estimated value.

- NATA accreditation is not held for results reported in  $\mu\text{g}/\text{m}^3$ . Air volume data was provided by the client.

## Analytical Results

Sub-Matrix: FILTER  
 (Matrix: AIR)

Client sample ID

				Glengarry Cottage PM10 9656164	Glengarry Cottage TSP 9656165	Landfill PM10 9656163	Landfill TSP 9656162	----
Client sampling date / time				14-May-2019 00:00	14-May-2019 00:00	13-May-2019 00:00	13-May-2019 00:00	----
Compound	CAS Number	LOR	Unit	EW1902115-001	EW1902115-002	EW1902115-003	EW1902115-004	-----
				Result	Result	Result	Result	----
<b>EA143: Particulates in Air - HVAFs</b>								
ø Total Suspended Particulates	----	0.1	$\mu\text{g}/\text{m}^3$	----	43.8	----	97.2	----
ø PM10	----	0.1	$\mu\text{g}/\text{m}^3$	17.7	----	33.4	----	----
Total Suspended Particulates (mass per filter)	----	0.1	mg/filter	----	68.3	----	143	----
PM10 (mass per filter)	----	0.1	mg/filter	27.1	----	48.7	----	----