

## CERTIFICATE OF ANALYSIS

**Work Order** : **EW2001411**  
**Client** : **WOLLONGONG CITY COUNCIL**  
**Contact** : DELLA KUTZNER  
**Address** : 41 BURELLI STREET  
 WOLLONGONG NSW, AUSTRALIA 2500  
  
**Telephone** : +61 02 4227 7111  
**Project** : Whytes Gully Storm Water Overflow  
**Order number** : 1011047  
**C-O-C number** : ----  
**Sampler** : Arrian Zautsen  
**Site** : ----  
**Quote number** : WO/005/18 TENDER  
**No. of samples received** : 3  
**No. of samples analysed** : 3

**Page** : 1 of 4  
**Laboratory** : Environmental Division NSW South Coast  
**Contact** : Glenn Davies  
**Address** : 1/19 Ralph Black Dr, North Wollongong 2500  
 4/13 Geary Pl, North Nowra 2541  
 Australia NSW Australia  
**Telephone** : 02 42253125  
**Date Samples Received** : 15-Mar-2020 17:16  
**Date Analysis Commenced** : 15-Mar-2020  
**Issue Date** : 23-Mar-2020 15:27



Accreditation No. 825  
 Accredited for compliance with  
 ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

**Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.**

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Ankit Joshi	Inorganic Chemist	Sydney Inorganics, Smithfield, NSW
Ashesh Patel	Senior Chemist	Sydney Inorganics, Smithfield, NSW
Celine Conceicao	Senior Spectroscopist	Sydney Inorganics, Smithfield, NSW
Ivan Taylor	Analyst	Sydney Inorganics, Smithfield, NSW
Robert DaLio	Sampler	Laboratory - Wollongong, NSW



## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
LOR = Limit of reporting  
^ = This result is computed from individual analyte detections at or above the level of reporting  
ø = ALS is not NATA accredited for these tests.  
~ = Indicates an estimated value.

- **Analytical work for this work order will be conducted at ALS Sydney.**
- Sampling and sample data supplied by ALS Wollongong.



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Client sample ID	Point 1 (Point 1)	Point 6 (Point 34)	Point 4 (Point 33)	----	----
Client sampling date / time				15-Mar-2020 16:15	15-Mar-2020 16:00	15-Mar-2020 16:25	----	----	
Compound	CAS Number	LOR	Unit	EW2001411-001	EW2001411-002	EW2001411-003	-----	-----	
				Result	Result	Result	----	----	
<b>EA005FD: Field pH</b>									
pH	----	0.1	pH Unit	7.3	7.5	7.5	----	----	
<b>EA010FD: Field Conductivity</b>									
Electrical Conductivity (Non Compensated)	----	1	µS/cm	821	541	469	----	----	
<b>EA025: Total Suspended Solids dried at 104 ± 2°C</b>									
Suspended Solids (SS)	----	5	mg/L	8	<5	<5	----	----	
<b>EA116: Temperature</b>									
Temperature	----	0.1	°C	17.4	19.0	17.8	----	----	
<b>ED037P: Alkalinity by PC Titrator</b>									
Hydroxide Alkalinity as CaCO3	DMO-210-001	1	mg/L	<1	<1	<1	----	----	
Carbonate Alkalinity as CaCO3	3812-32-6	1	mg/L	<1	<1	<1	----	----	
Bicarbonate Alkalinity as CaCO3	71-52-3	1	mg/L	206	141	124	----	----	
Total Alkalinity as CaCO3	----	1	mg/L	206	141	124	----	----	
<b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA</b>									
Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	63	37	26	----	----	
<b>ED045G: Chloride by Discrete Analyser</b>									
Chloride	16887-00-6	1	mg/L	101	57	54	----	----	
<b>ED093T: Total Major Cations</b>									
Calcium	7440-70-2	1	mg/L	66	47	36	----	----	
Magnesium	7439-95-4	1	mg/L	26	20	15	----	----	
Sodium	7440-23-5	1	mg/L	76	37	40	----	----	
Potassium	7440-09-7	1	mg/L	5	4	3	----	----	
<b>EG020F: Dissolved Metals by ICP-MS</b>									
Iron	7439-89-6	0.05	mg/L	0.19	0.12	0.79	----	----	
<b>EK040P: Fluoride by PC Titrator</b>									
Fluoride	16984-48-8	0.1	mg/L	0.4	0.2	0.2	----	----	
<b>EK055G: Ammonia as N by Discrete Analyser</b>									
Ammonia as N	7664-41-7	0.01	mg/L	0.96	0.04	0.02	----	----	
<b>EK057G: Nitrite as N by Discrete Analyser</b>									
Nitrite as N	14797-65-0	0.01	mg/L	0.03	<0.01	<0.01	----	----	
<b>EK058G: Nitrate as N by Discrete Analyser</b>									
Nitrate as N	14797-55-8	0.01	mg/L	0.05	0.10	0.12	----	----	
<b>EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser</b>									



### Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Client sample ID	Point 1 (Point 1)	Point 6 (Point 34)	Point 4 (Point 33)	----	----
Client sampling date / time					15-Mar-2020 16:15	15-Mar-2020 16:00	15-Mar-2020 16:25	----	----
Compound	CAS Number	LOR	Unit	EW2001411-001	EW2001411-002	EW2001411-003	-----	-----	
				Result	Result	Result	----	----	
<b>EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser - Continued</b>									
Nitrite + Nitrate as N	----	0.01	mg/L	0.08	0.10	0.12	----	----	
<b>EP005: Total Organic Carbon (TOC)</b>									
Total Organic Carbon	----	1	mg/L	12	3	7	----	----	
<b>EP025FD: Field Dissolved Oxygen</b>									
Dissolved Oxygen	----	0.01	mg/L	5.59	7.40	6.52	----	----	
<b>EP035G: Total Phenol by Discrete Analyser</b>									
Phenols (Total)	----	0.05	mg/L	<0.05	<0.05	<0.05	----	----	