



Annual Return

WOLLONGONG CITY COUNCIL

Licence 5862

A. Statement of Compliance - Licence Details

ALL Licence holders must check that the Licence details in Section A are correct.

If there are changes to any of these details, **you must advise Environment Protection Authority (EPA) and apply as soon as possible for a variation to your Licence or for a Licence transfer.**

Licence variation and transfer application forms are available on the EPA website at:
<http://www.epa.nsw.gov.au/licensing-and-regulation/licensing> or from regional offices of the EPA, or by contacting by telephone 02 9995 5700.

If you are applying to vary or transfer your Licence, you must still complete and submit this Annual Return.

A1. Licence holder

Licence number : 5862
Licence holder : WOLLONGONG CITY COUNCIL
Trading name (if applicable) :
ABN : 63 139 525 939
ACN :
Reporting period : From: 29-5-2024 To: 28-5-2025

A2. Premises to which Licence Applies (if applicable)

Common name (if any) : WHYTE'S GULLY WASTE DISPOSAL FACILITY
Premises : REDDALLS ROAD KEMBLA GRANGE 2526 NSW

A3. Activities to which Licence Applies

Waste disposal (application to land)

A4. Other Activities (if applicable)

A5. Fee-Based Activity Classifications

Note that the fee based activity classification is used to calculate the administrative fee.

Fee-based activity	Activity scale	Unit of measure
Waste disposal by application to land	> 0.00	capacity

A6. Assessable Pollutants (if applicable)

Note that the identification of assessable pollutants is used to calculate the **load-based fee**.
The following assessable pollutants are identified for the fee-based activity classifications in the licence:

B. Monitoring and Complaints Summary

B1. Number of Pollution Complaints

Pollution Complaint Category	Complaints
Air	18
Water	0
Noise	0
Waste	0
Other	0
Total complaints recorded by the licensee during the reporting period	18

B2. Concentration Monitoring Summary

For each concentration monitoring point identified in your licence, details are displayed below. If concentration monitoring is not required by your licence, **no data** will appear below.

If data was provided from an uploaded file, the file name will be displayed below instead of any data.

Note that this does not exclude the need to conduct appropriate concentration monitoring of assessable pollutants as required by load-based licensing (if applicable).

Discharge & Monitoring Point 1

Stormwater monitoring and discharge point, Outlet at Reddalls Road - Monitoring point identified at E297772 N6184025.

Pollutant	Unit of measure	No. of samples required	No. of samples collected and analysed	Lowest sample value	Mean of sample	Highest sample value
Alkalinity (as calcium carbonate)	milligrams per litre					
Ammonia	milligrams per litre					
Calcium	milligrams per litre					
Chloride	milligrams per litre					
Conductivity	microsiemens per centimetre					
Dissolved Oxygen	milligrams per litre					



Annual Return

WOLLONGONG CITY COUNCIL

Licence 5862

Filterable iron	milligrams per litre					
Fluoride	milligrams per litre					
Magnesium	milligrams per litre					
Nitrate	milligrams per litre					
pH	pH					
Potassium	milligrams per litre					
Sodium	milligrams per litre					
Sulfate	milligrams per litre					
Temperature	degrees Celsius					
Total organic carbon	milligrams per litre					
Total Phenolics	milligrams per litre					
Total suspended solids	milligrams per litre					

Monitoring Point 3

Surface gas monitoring, Areas where intermediate or final cover has been placed.

Pollutant	Unit of measure	No. of samples required	No. of samples collected and analysed	Lowest sample value	Mean of sample	Highest sample value
Methane	percent by volume					

Monitoring Point 4

Gas accumulation monitoring, Inside all buildings within 250 metres of deposited waste.

Pollutant	Unit of measure	No. of samples required	No. of samples collected and analysed	Lowest sample value	Mean of sample	Highest sample value
Methane	percent by volume					

Monitoring Point 5

Groundwater quality monitoring , Monitoring point labelled GABH02 on Figure 15 titled "Current Site Investigation Locations" dated 6 March 2012 (Whytes Gully New Landfill Cell EA - Volume IV). E297754.9 N6184377

Pollutant	Unit of measure	No. of samples required	No. of samples collected and analysed	Lowest sample value	Mean of sample	Highest sample value
Alkalinity (as calcium carbonate)	milligrams per litre					
Aluminium	milligrams per litre					
Arsenic	milligrams per litre					
Barium	milligrams per litre					
Benzene	milligrams per litre					
Cadmium	milligrams per litre					
Calcium	milligrams per litre					
Chloride	milligrams per litre					
Chromium (hexavalent)	milligrams per litre					
Chromium (total)	milligrams per litre					
Cobalt	milligrams per litre					
Conductivity	microsiemens per centimetre					
Copper	milligrams per litre					
Ethyl benzene	micrograms per litre					
Fluoride	milligrams per litre					
Lead	milligrams per litre					
Magnesium	milligrams per litre					
Manganese	micrograms per litre					
Mercury	milligrams per litre					
Nitrate	milligrams per litre					



Annual Return

WOLLONGONG CITY COUNCIL

Licence 5862

Nitrite	milligrams per litre					
Nitrogen (ammonia)	milligrams per litre					
Organochlorine pesticides	milligrams per litre					
Organophosphate pesticides	milligrams per litre					
pH	pH					
Polycyclic aromatic hydrocarbons	milligrams per litre					
Potassium	milligrams per litre					
Sodium	milligrams per litre					
Standing Water Level	metres					
Sulfate	milligrams per litre					
Toluene	milligrams per litre					
Total dissolved solids	milligrams per litre					
Total organic carbon	milligrams per litre					
Total petroleum hydrocarbons	milligrams per litre					
Total Phenolics	milligrams per litre					
Xylene	milligrams per litre					
Zinc	milligrams per kilogram					

Monitoring Point 9

Groundwater quality monitoring, Monitoring point labelled GMW102 on Figure 15 titled "Current Site Investigation Locations" dated 6 March 2012 (Whytes Gully New Landfill Cell EA - Volume IV). E297952.6 N6184807

Pollutant	Unit of measure	No. of samples required	No. of samples collected and analysed	Lowest sample value	Mean of sample	Highest sample value
Alkalinity (as calcium carbonate)	milligrams per litre					
Aluminium	milligrams per litre					



Annual Return

WOLLONGONG CITY COUNCIL

Licence 5862

Arsenic	milligrams per litre					
Barium	milligrams per litre					
Benzene	milligrams per litre					
Cadmium	milligrams per litre					
Calcium	milligrams per litre					
Chloride	milligrams per litre					
Chromium (hexavalent)	milligrams per litre					
Chromium (total)	milligrams per litre					
Cobalt	milligrams per litre					
Conductivity	microsiemens per centimetre					
Copper	milligrams per litre					
Ethyl benzene	micrograms per litre					
Fluoride	milligrams per litre					
Lead	milligrams per litre					
Magnesium	milligrams per litre					
Manganese	micrograms per litre					
Mercury	milligrams per litre					
Nitrate	milligrams per litre					
Nitrite	milligrams per litre					
Nitrogen (ammonia)	milligrams per litre					
Organochlorine pesticides	milligrams per litre					
Organophosphate pesticides	milligrams per litre					
pH	pH					
Polycyclic aromatic hydrocarbons	milligrams per litre					
Potassium	milligrams per litre					

Sodium	milligrams per litre					
Standing Water Level	metres					
Sulfate	milligrams per litre					
Toluene	milligrams per litre					
Total dissolved solids	milligrams per litre					
Total organic carbon	milligrams per litre					
Total petroleum hydrocarbons	milligrams per litre					
Total Phenolics	milligrams per litre					
Xylene	milligrams per litre					
Zinc	milligrams per kilogram					

Monitoring Point 10

Groundwater quality monitoring, Monitoring point labelled GMW103 on Figure 15 titled "Current Site Investigation Locations" dated 6 March 2012 (Whytes Gully New Landfill Cell EA - Volume IV). E298470.2 N6184603

Pollutant	Unit of measure	No. of samples required	No. of samples collected and analysed	Lowest sample value	Mean of sample	Highest sample value
Alkalinity (as calcium carbonate)	milligrams per litre					
Aluminium	milligrams per litre					
Arsenic	milligrams per litre					
Barium	milligrams per litre					
Benzene	milligrams per litre					
Cadmium	milligrams per litre					
Calcium	milligrams per litre					
Chloride	milligrams per litre					
Chromium (hexavalent)	milligrams per litre					



Annual Return

WOLLONGONG CITY COUNCIL

Licence 5862

Chromium (total)	milligrams per litre					
Cobalt	milligrams per litre					
Conductivity	microsiemens per centimetre					
Copper	milligrams per litre					
Ethyl benzene	micrograms per litre					
Fluoride	milligrams per litre					
Lead	milligrams per litre					
Magnesium	milligrams per litre					
Manganese	micrograms per litre					
Mercury	milligrams per litre					
Nitrate	milligrams per litre					
Nitrite	milligrams per litre					
Nitrogen (ammonia)	milligrams per litre					
Organochlorine pesticides	milligrams per litre					
Organophosphate pesticides	milligrams per litre					
pH	pH					
Polycyclic aromatic hydrocarbons	milligrams per litre					
Potassium	milligrams per litre					
Sodium	milligrams per litre					
Standing Water Level	metres					
Sulfate	milligrams per litre					
Toluene	milligrams per litre					
Total dissolved solids	milligrams per litre					
Total organic carbon	milligrams per litre					
Total petroleum hydrocarbons	milligrams per litre					



Annual Return

WOLLONGONG CITY COUNCIL

Licence 5862

Total Phenolics	milligrams per litre					
Xylene	milligrams per litre					
Zinc	milligrams per kilogram					

Monitoring Point 11

Groundwater quality monitoring, Monitoring point labelled GMW104 on Figure 15 titled "Current Site Investigation Locations" dated 6 March 2012 (Whytes Gully New Landfill Cell EA - Volume IV). E297597.9 N6184508

Pollutant	Unit of measure	No. of samples required	No. of samples collected and analysed	Lowest sample value	Mean of sample	Highest sample value
Alkalinity (as calcium carbonate)	milligrams per litre					
Aluminium	milligrams per litre					
Arsenic	milligrams per litre					
Barium	milligrams per litre					
Benzene	milligrams per litre					
Cadmium	milligrams per litre					
Calcium	milligrams per litre					
Chloride	milligrams per litre					
Chromium (hexavalent)	milligrams per litre					
Chromium (total)	milligrams per litre					
Cobalt	milligrams per litre					
Conductivity	microsiemens per centimetre					
Copper	milligrams per litre					
Ethyl benzene	micrograms per litre					
Fluoride	milligrams per litre					
Lead	milligrams per litre					

Magnesium	milligrams per litre					
Manganese	micrograms per litre					
Mercury	milligrams per litre					
Nitrate	milligrams per litre					
Nitrite	milligrams per litre					
Nitrogen (ammonia)	milligrams per litre					
Organochlorine pesticides	milligrams per litre					
Organophosphate pesticides	milligrams per litre					
pH	pH					
Polycyclic aromatic hydrocarbons	milligrams per litre					
Potassium	milligrams per litre					
Sodium	milligrams per litre					
Standing Water Level	metres					
Sulfate	milligrams per litre					
Toluene	milligrams per litre					
Total dissolved solids	milligrams per litre					
Total organic carbon	milligrams per litre					
Total petroleum hydrocarbons	milligrams per litre					
Total Phenolics	milligrams per litre					
Xylene	milligrams per litre					
Zinc	milligrams per kilogram					

Monitoring Point 12

Groundwater quality monitoring, Monitoring point labelled GMW105 on Figure 15 titled "Current Site Investigation Locations" dated 6 March 2012 (Whytes Gully New Landfill Cell EA - Volume IV). E298433.3 N6184397



Annual Return

WOLLONGONG CITY COUNCIL

Licence 5862

Pollutant	Unit of measure	No. of samples required	No. of samples collected and analysed	Lowest sample value	Mean of sample	Highest sample value
Alkalinity (as calcium carbonate)	milligrams per litre					
Aluminium	milligrams per litre					
Arsenic	milligrams per litre					
Barium	milligrams per litre					
Benzene	milligrams per litre					
Cadmium	milligrams per litre					
Calcium	milligrams per litre					
Chloride	milligrams per litre					
Chromium (hexavalent)	milligrams per litre					
Chromium (total)	milligrams per litre					
Cobalt	milligrams per litre					
Conductivity	microsiemens per centimetre					
Copper	milligrams per litre					
Ethyl benzene	micrograms per litre					
Fluoride	milligrams per litre					
Lead	milligrams per litre					
Magnesium	milligrams per litre					
Manganese	micrograms per litre					
Mercury	milligrams per litre					
Nitrate	milligrams per litre					
Nitrite	milligrams per litre					
Nitrogen (ammonia)	milligrams per litre					

Organochlorine pesticides	milligrams per litre					
Organophosphate pesticides	milligrams per litre					
pH	pH					
Polycyclic aromatic hydrocarbons	milligrams per litre					
Potassium	milligrams per litre					
Sodium	milligrams per litre					
Standing Water Level	metres					
Sulfate	milligrams per litre					
Toluene	milligrams per litre					
Total dissolved solids	milligrams per litre					
Total organic carbon	milligrams per litre					
Total petroleum hydrocarbons	milligrams per litre					
Total Phenolics	milligrams per litre					
Xylene	milligrams per litre					
Zinc	milligrams per kilogram					

Monitoring Point 13

Groundwater quality monitoring, Monitoring point labelled GMW106 on Figure 15 titled "Current Site Investigation Locations" dated 6 March 2012 (Whytes Gully New Landfill Cell EA - Volume IV). E298356.8 N6184294

Pollutant	Unit of measure	No. of samples required	No. of samples collected and analysed	Lowest sample value	Mean of sample	Highest sample value
Alkalinity (as calcium carbonate)	milligrams per litre					
Aluminium	milligrams per litre					
Arsenic	milligrams per litre					
Barium	milligrams per litre					



Annual Return

WOLLONGONG CITY COUNCIL

Licence 5862

Benzene	milligrams per litre					
Cadmium	milligrams per litre					
Calcium	milligrams per litre					
Chloride	milligrams per litre					
Chromium (hexavalent)	milligrams per litre					
Chromium (total)	milligrams per litre					
Cobalt	milligrams per litre					
Conductivity	microsiemens per centimetre					
Copper	milligrams per litre					
Ethyl benzene	micrograms per litre					
Fluoride	milligrams per litre					
Lead	milligrams per litre					
Magnesium	milligrams per litre					
Manganese	micrograms per litre					
Mercury	milligrams per litre					
Nitrate	milligrams per litre					
Nitrite	milligrams per litre					
Nitrogen (ammonia)	milligrams per litre					
Organochlorine pesticides	milligrams per litre					
Organophosphate pesticides	milligrams per litre					
pH	pH					
Polycyclic aromatic hydrocarbons	milligrams per litre					
Potassium	milligrams per litre					
Sodium	milligrams per litre					
Standing Water Level	metres					

Sulfate	milligrams per litre					
Toluene	milligrams per litre					
Total dissolved solids	milligrams per litre					
Total organic carbon	milligrams per litre					
Total petroleum hydrocarbons	milligrams per litre					
Total Phenolics	milligrams per litre					
Xylene	milligrams per litre					
Zinc	milligrams per kilogram					

Monitoring Point 14

Groundwater quality monitoring, Monitoring point labelled GMW108S on Figure 15 titled "Current Site Investigation Locations" dated 6 March 2012 (Whytes Gully New Landfill Cell EA - Volume IV). E297870.2 N6184262

Pollutant	Unit of measure	No. of samples required	No. of samples collected and analysed	Lowest sample value	Mean of sample	Highest sample value
Alkalinity (as calcium carbonate)	milligrams per litre					
Aluminium	milligrams per litre					
Arsenic	milligrams per litre					
Barium	milligrams per litre					
Benzene	milligrams per litre					
Cadmium	milligrams per litre					
Calcium	milligrams per litre					
Chloride	milligrams per litre					
Chromium (hexavalent)	milligrams per litre					
Chromium (total)	milligrams per litre					
Cobalt	milligrams per litre					



Annual Return

WOLLONGONG CITY COUNCIL

Licence 5862

Conductivity	microsiemens per centimetre					
Copper	milligrams per litre					
Ethyl benzene	micrograms per litre					
Fluoride	milligrams per litre					
Lead	milligrams per litre					
Magnesium	milligrams per litre					
Manganese	micrograms per litre					
Mercury	milligrams per litre					
Nitrate	milligrams per litre					
Nitrite	milligrams per litre					
Nitrogen (ammonia)	milligrams per litre					
Organochlorine pesticides	milligrams per litre					
Organophosphate pesticides	milligrams per litre					
pH	pH					
Polycyclic aromatic hydrocarbons	milligrams per litre					
Potassium	milligrams per litre					
Sodium	milligrams per litre					
Standing Water Level	metres					
Sulfate	milligrams per litre					
Toluene	milligrams per litre					
Total dissolved solids	milligrams per litre					
Total organic carbon	milligrams per litre					
Total petroleum hydrocarbons	milligrams per litre					
Total Phenolics	milligrams per litre					
Xylene	milligrams per litre					

Zinc	milligrams per kilogram					
------	-------------------------	--	--	--	--	--

Monitoring Point 15

Groundwater quality monitoring, Monitoring point labelled GMW108D on Figure 15 titled "Current Site Investigation Locations" dated 6 March 2012 (Whytes Gully New Landfill Cell EA - Volume IV). E297871.4 N6184262

Pollutant	Unit of measure	No. of samples required	No. of samples collected and analysed	Lowest sample value	Mean of sample	Highest sample value
Alkalinity (as calcium carbonate)	milligrams per litre					
Aluminium	milligrams per litre					
Arsenic	milligrams per litre					
Barium	milligrams per litre					
Benzene	milligrams per litre					
Cadmium	milligrams per litre					
Calcium	milligrams per litre					
Chloride	milligrams per litre					
Chromium (hexavalent)	milligrams per litre					
Chromium (total)	milligrams per litre					
Cobalt	milligrams per litre					
Conductivity	microsiemens per centimetre					
Copper	milligrams per litre					
Ethyl benzene	micrograms per litre					
Fluoride	milligrams per litre					
Lead	milligrams per litre					
Magnesium	milligrams per litre					
Manganese	micrograms per litre					



Annual Return

WOLLONGONG CITY COUNCIL

Licence 5862

Mercury	milligrams per litre					
Nitrate	milligrams per litre					
Nitrite	milligrams per litre					
Nitrogen (ammonia)	milligrams per litre					
Organochlorine pesticides	milligrams per litre					
Organophosphate pesticides	milligrams per litre					
pH	pH					
Polycyclic aromatic hydrocarbons	milligrams per litre					
Potassium	milligrams per litre					
Sodium	milligrams per litre					
Standing Water Level	metres					
Sulfate	milligrams per litre					
Toluene	milligrams per litre					
Total dissolved solids	milligrams per litre					
Total organic carbon	milligrams per litre					
Total petroleum hydrocarbons	milligrams per litre					
Total Phenolics	milligrams per litre					
Xylene	milligrams per litre					
Zinc	milligrams per kilogram					

Monitoring Point 16

Groundwater quality monitoring, Monitoring point labelled GMW109S on Figure 15 titled "Current Site Investigation Locations" dated 6 March 2012 (Whytes Gully New Landfill Cell EA - Volume IV). E297605.7 N6184068

Pollutant	Unit of measure	No. of samples required	No. of samples collected and analysed	Lowest sample value	Mean of sample	Highest sample value
Alkalinity (as calcium carbonate)	milligrams per litre					
Aluminium	milligrams per litre					
Arsenic	milligrams per litre					
Barium	milligrams per litre					
Benzene	milligrams per litre					
Cadmium	milligrams per litre					
Calcium	milligrams per litre					
Chloride	milligrams per litre					
Chromium (hexavalent)	milligrams per litre					
Chromium (total)	milligrams per litre					
Cobalt	milligrams per litre					
Conductivity	microsiemens per centimetre					
Copper	milligrams per litre					
Ethyl benzene	micrograms per litre					
Fluoride	milligrams per litre					
Lead	milligrams per litre					
Magnesium	milligrams per litre					
Manganese	micrograms per litre					
Mercury	milligrams per litre					
Nitrate	milligrams per litre					
Nitrite	milligrams per litre					
Nitrogen (ammonia)	milligrams per litre					

Organochlorine pesticides	milligrams per litre					
Organophosphate pesticides	milligrams per litre					
pH	pH					
Polycyclic aromatic hydrocarbons	milligrams per litre					
Potassium	milligrams per litre					
Sodium	milligrams per litre					
Standing Water Level	metres					
Sulfate	milligrams per litre					
Toluene	milligrams per litre					
Total dissolved solids	milligrams per litre					
Total organic carbon	milligrams per litre					
Total petroleum hydrocarbons	milligrams per litre					
Total Phenolics	milligrams per litre					
Xylene	milligrams per litre					
Zinc	milligrams per kilogram					

Monitoring Point 17

Groundwater quality monitoring, Monitoring point labelled GMW110 on Figure 15 titled "Current Site Investigation Locations" dated 6 March 2012 (Whytes Gully New Landfill Cell EA - Volume IV). E297572.6 N6184266

Pollutant	Unit of measure	No. of samples required	No. of samples collected and analysed	Lowest sample value	Mean of sample	Highest sample value
Alkalinity (as calcium carbonate)	milligrams per litre					
Aluminium	milligrams per litre					
Arsenic	milligrams per litre					
Barium	milligrams per litre					



Annual Return

WOLLONGONG CITY COUNCIL

Licence 5862

Benzene	milligrams per litre					
Cadmium	milligrams per litre					
Calcium	milligrams per litre					
Chloride	milligrams per litre					
Chromium (hexavalent)	milligrams per litre					
Chromium (total)	milligrams per litre					
Cobalt	milligrams per litre					
Conductivity	microsiemens per centimetre					
Copper	milligrams per litre					
Ethyl benzene	micrograms per litre					
Fluoride	milligrams per litre					
Lead	milligrams per litre					
Magnesium	milligrams per litre					
Manganese	micrograms per litre					
Mercury	milligrams per litre					
Nitrate	milligrams per litre					
Nitrite	milligrams per litre					
Nitrogen (ammonia)	milligrams per litre					
Organochlorine pesticides	milligrams per litre					
Organophosphate pesticides	milligrams per litre					
pH	pH					
Polycyclic aromatic hydrocarbons	milligrams per litre					
Potassium	milligrams per litre					
Sodium	milligrams per litre					
Standing Water Level	metres					



Annual Return

WOLLONGONG CITY COUNCIL

Licence 5862

Sulfate	milligrams per litre					
Toluene	milligrams per litre					
Total dissolved solids	milligrams per litre					
Total organic carbon	milligrams per litre					
Total petroleum hydrocarbons	milligrams per litre					
Total Phenolics	milligrams per litre					
Xylene	milligrams per litre					
Zinc	milligrams per kilogram					

Monitoring Point 18

Groundwater quality monitoring, Monitoring point labelled GMW111 on Figure 15 titled "Current Site Investigation Locations" dated 6 March 2012 (Whytes Gully New Landfill Cell EA - Volume IV). E297588.6 N6184385

Pollutant	Unit of measure	No. of samples required	No. of samples collected and analysed	Lowest sample value	Mean of sample	Highest sample value
Alkalinity (as calcium carbonate)	milligrams per litre					
Aluminium	milligrams per litre					
Arsenic	milligrams per litre					
Barium	milligrams per litre					
Benzene	milligrams per litre					
Cadmium	milligrams per litre					
Calcium	milligrams per litre					
Chloride	milligrams per litre					
Chromium (hexavalent)	milligrams per litre					
Chromium (total)	milligrams per litre					
Cobalt	milligrams per litre					



Annual Return

WOLLONGONG CITY COUNCIL

Licence 5862

Conductivity	microsiemens per centimetre					
Copper	milligrams per litre					
Ethyl benzene	micrograms per litre					
Fluoride	milligrams per litre					
Lead	milligrams per litre					
Magnesium	milligrams per litre					
Manganese	micrograms per litre					
Mercury	milligrams per litre					
Nitrate	milligrams per litre					
Nitrite	milligrams per litre					
Nitrogen (ammonia)	milligrams per litre					
Organochlorine pesticides	milligrams per litre					
Organophosphate pesticides	milligrams per litre					
pH	pH					
Polycyclic aromatic hydrocarbons	milligrams per litre					
Potassium	milligrams per litre					
Sodium	milligrams per litre					
Standing Water Level	metres					
Sulfate	milligrams per litre					
Toluene	milligrams per litre					
Total dissolved solids	milligrams per litre					
Total organic carbon	milligrams per litre					
Total petroleum hydrocarbons	milligrams per litre					
Total Phenolics	milligrams per litre					
Xylene	milligrams per litre					



Annual Return

WOLLONGONG CITY COUNCIL

Licence 5862

Zinc	milligrams per kilogram					
------	-------------------------	--	--	--	--	--

Monitoring Point 19

Groundwater quality monitoring, Monitoring point labelled GMW109D on Figure 15 titled "Current Site Investigation Locations" dated 6 March 2012 (Whytes Gully New Landfill Cell EA - Volume IV). E297604.9 N6184068

Pollutant	Unit of measure	No. of samples required	No. of samples collected and analysed	Lowest sample value	Mean of sample	Highest sample value
Alkalinity (as calcium carbonate)	milligrams per litre					
Aluminium	milligrams per litre					
Arsenic	milligrams per litre					
Barium	milligrams per litre					
Benzene	milligrams per litre					
Cadmium	milligrams per litre					
Calcium	milligrams per litre					
Chloride	milligrams per litre					
Chromium (hexavalent)	milligrams per litre					
Chromium (total)	milligrams per litre					
Cobalt	milligrams per litre					
Conductivity	microsiemens per centimetre					
Copper	milligrams per litre					
Ethyl benzene	micrograms per litre					
Fluoride	milligrams per litre					
Lead	milligrams per litre					
Magnesium	milligrams per litre					
Manganese	micrograms per litre					

Mercury	milligrams per litre					
Nitrate	milligrams per litre					
Nitrite	milligrams per litre					
Nitrogen (ammonia)	milligrams per litre					
Organochlorine pesticides	milligrams per litre					
Organophosphate pesticides	milligrams per litre					
pH	pH					
Polycyclic aromatic hydrocarbons	milligrams per litre					
Potassium	milligrams per litre					
Sodium	milligrams per litre					
Standing Water Level	metres					
Sulfate	milligrams per litre					
Toluene	milligrams per litre					
Total dissolved solids	milligrams per litre					
Total organic carbon	milligrams per litre					
Total petroleum hydrocarbons	milligrams per litre					
Total Phenolics	milligrams per litre					
Xylene	milligrams per litre					
Zinc	milligrams per kilogram					

Monitoring Point 20

Groundwater quality monitoring, Monitoring point labelled BH6 on Figure 15 titled "Current Site Investigation Locations" dated 6 March 2012 (Whytes Gully New Landfill Cell EA - Volume IV). E297807.4 N6184052



Annual Return

WOLLONGONG CITY COUNCIL

Licence 5862

Pollutant	Unit of measure	No. of samples required	No. of samples collected and analysed	Lowest sample value	Mean of sample	Highest sample value
Alkalinity (as calcium carbonate)	milligrams per litre					
Aluminium	milligrams per litre					
Arsenic	milligrams per litre					
Barium	milligrams per litre					
Benzene	milligrams per litre					
Cadmium	milligrams per litre					
Calcium	milligrams per litre					
Chloride	milligrams per litre					
Chromium (hexavalent)	milligrams per litre					
Chromium (total)	milligrams per litre					
Cobalt	milligrams per litre					
Conductivity	microsiemens per centimetre					
Copper	milligrams per litre					
Ethyl benzene	micrograms per litre					
Fluoride	milligrams per litre					
Lead	milligrams per litre					
Magnesium	milligrams per litre					
Manganese	micrograms per litre					
Mercury	milligrams per litre					
Nitrate	milligrams per litre					
Nitrite	milligrams per litre					
Nitrogen (ammonia)	milligrams per litre					

Organochlorine pesticides	milligrams per litre					
Organophosphate pesticides	milligrams per litre					
pH	pH					
Polycyclic aromatic hydrocarbons	milligrams per litre					
Potassium	milligrams per litre					
Sodium	milligrams per litre					
Standing Water Level	metres					
Sulfate	milligrams per litre					
Toluene	milligrams per litre					
Total dissolved solids	milligrams per litre					
Total organic carbon	milligrams per litre					
Total petroleum hydrocarbons	milligrams per litre					
Total Phenolics	milligrams per litre					
Xylene	milligrams per litre					
Zinc	milligrams per kilogram					

Monitoring Point 21

Subsurface gas monitoring, Monitoring point labelled LFG MW1 on Figure 14 titled "Proposed Landfill Gas Monitoring Locations" dated 6 March 2012 (Whytes Gully New Landfill Cell EA - Volume IV). E298084 N6184278

Pollutant	Unit of measure	No. of samples required	No. of samples collected and analysed	Lowest sample value	Mean of sample	Highest sample value
Methane	percent by volume					

Monitoring Point 22

Subsurface gas monitoring, Monitoring point labelled LFG MW2 on Figure 14 titled "Proposed Landfill Gas Monitoring Locations" dated 6 March 2012 (Whytes Gully New Landfill Cell EA - Volume IV). E298202 N6184228

Pollutant	Unit of measure	No. of samples required	No. of samples collected and analysed	Lowest sample value	Mean of sample	Highest sample value
Methane	percent by volume					

Monitoring Point 23

Subsurface gas monitoring, Monitoring point labelled LFG MW3 on Figure 14 titled "Proposed Landfill Gas Monitoring Locations" dated 6 March 2012 (Whytes Gully New Landfill Cell EA - Volume IV). E298297 N6184244

Pollutant	Unit of measure	No. of samples required	No. of samples collected and analysed	Lowest sample value	Mean of sample	Highest sample value
Methane	percent by volume					

Monitoring Point 24

Subsurface gas monitoring, Monitoring point labelled LFG MW4 on Figure 14 titled "Proposed Landfill Gas Monitoring Locations" dated 6 March 2012 (Whytes Gully New Landfill Cell EA - Volume IV). E298376 N6184303

Pollutant	Unit of measure	No. of samples required	No. of samples collected and analysed	Lowest sample value	Mean of sample	Highest sample value
Methane	percent by volume					

Monitoring Point 25

Subsurface gas monitoring, Monitoring point labelled LFG MW5 on Figure 14 titled "Proposed Landfill Gas Monitoring Locations" dated 6 March 2012 (Whytes Gully New Landfill Cell EA - Volume IV). E298438 N6184381

Pollutant	Unit of measure	No. of samples required	No. of samples collected and analysed	Lowest sample value	Mean of sample	Highest sample value
Methane	percent by volume					

Monitoring Point 26

Subsurface gas monitoring, Monitoring point labelled LFG MW6 on Figure 14 titled "Proposed Landfill Gas Monitoring Locations" dated 6 March 2012 (Whytes Gully New Landfill Cell EA - Volume IV). E298376 N6184303

Pollutant	Unit of measure	No. of samples required	No. of samples collected and analysed	Lowest sample value	Mean of sample	Highest sample value
Methane	percent by volume					

Monitoring Point 27

Subsurface gas monitoring, Monitoring point labelled LFG MW7 on Figure 14 titled "Proposed Landfill Gas Monitoring Locations" dated 6 March 2012 (Whytes Gully New Landfill Cell EA - Volume IV). E298470 N6184553

Pollutant	Unit of measure	No. of samples required	No. of samples collected and analysed	Lowest sample value	Mean of sample	Highest sample value
Methane	percent by volume					

Monitoring Point 28

Subsurface gas monitoring, Monitoring point labelled LFG MW8 on Figure 14 titled "Proposed Landfill Gas Monitoring Locations" dated 6 March 2012 (Whytes Gully New Landfill Cell EA - Volume IV). E298376 N6184303

Pollutant	Unit of measure	No. of samples required	No. of samples collected and analysed	Lowest sample value	Mean of sample	Highest sample value
Methane	percent by volume					

Monitoring Point 29

Subsurface gas monitoring, Monitoring point labelled LFG MW9 on Figure 14 titled "Proposed Landfill Gas Monitoring Locations" dated 6 March 2012 (Whytes Gully New Landfill Cell EA - Volume IV). E298465 N6184645

Pollutant	Unit of measure	No. of samples required	No. of samples collected and analysed	Lowest sample value	Mean of sample	Highest sample value
Methane	percent by volume					

Monitoring Point 30

Subsurface gas monitoring, Monitoring point labelled LFG MW10 on Figure 14 titled "Proposed Landfill Gas Monitoring Locations" dated 6 March 2012 (Whytes Gully New Landfill Cell EA - Volume IV). E298448 N6184684

Pollutant	Unit of measure	No. of samples required	No. of samples collected and analysed	Lowest sample value	Mean of sample	Highest sample value
Methane	percent by volume					

Monitoring Point 31

Subsurface gas monitoring, Monitoring point labelled LFG MW11 on Figure 14 titled "Proposed Landfill Gas Monitoring Locations" dated 6 March 2012 (Whytes Gully New Landfill Cell EA - Volume IV). E298400 N6184695

Pollutant	Unit of measure	No. of samples required	No. of samples collected and analysed	Lowest sample value	Mean of sample	Highest sample value
Methane	percent by volume					

Monitoring Point 32

Subsurface gas monitoring, Monitoring point labelled LFG MW12 on Figure 14 titled "Proposed Landfill Gas Monitoring Locations" dated 6 March 2012 (Whytes Gully New Landfill Cell EA - Volume IV). E298351 N6184701

Pollutant	Unit of measure	No. of samples required	No. of samples collected and analysed	Lowest sample value	Mean of sample	Highest sample value
Methane	percent by volume					

Monitoring Point 33

Stormwater monitoring point, Downstream monitoring point labelled 4 on Figure 13 titled "Proposed Surface Water Monitoring Locations" dated 26 March 2012 (Whytes Gully New Landfill Cell EA - Volume IV). E297767 N6183396

Pollutant	Unit of measure	No. of samples required	No. of samples collected and analysed	Lowest sample value	Mean of sample	Highest sample value
Alkalinity (as calcium carbonate)	milligrams per litre					
Ammonia	milligrams per litre					
Calcium	milligrams per litre					
Chloride	milligrams per litre					
Conductivity	microsiemens per centimetre					
Dissolved Oxygen	milligrams per litre					
Filterable iron	milligrams per litre					
Fluoride	milligrams per litre					
Magnesium	milligrams per litre					
Nitrate	milligrams per litre					
pH	pH					
Potassium	milligrams per litre					
Sodium	milligrams per litre					
Sulfate	milligrams per litre					
Temperature	degrees Celsius					
Total organic carbon	milligrams per litre					
Total Phenolics	milligrams per litre					
Total suspended solids	milligrams per litre					

Monitoring Point 34

Stormwater monitoring point, Upstream monitoring point labelled 6 on Figure 13 titled "Proposed Surface Water Monitoring Locations" dated 26 March 2012 (Whytes Gully New Landfill Cell EA - Volume IV). E297495 N6184504



Annual Return

WOLLONGONG CITY COUNCIL

Licence 5862

Pollutant	Unit of measure	No. of samples required	No. of samples collected and analysed	Lowest sample value	Mean of sample	Highest sample value
Alkalinity (as calcium carbonate)	milligrams per litre					
Ammonia	milligrams per litre					
Calcium	milligrams per litre					
Chloride	milligrams per litre					
Conductivity	microsiemens per centimetre					
Dissolved Oxygen	milligrams per litre					
Filterable iron	milligrams per litre					
Fluoride	milligrams per litre					
Magnesium	milligrams per litre					
Nitrate	milligrams per litre					
pH	pH					
Potassium	milligrams per litre					
Sodium	milligrams per litre					
Sulfate	milligrams per litre					
Temperature	degrees Celsius					
Total organic carbon	milligrams per litre					
Total Phenolics	milligrams per litre					
Total suspended solids	milligrams per litre					

Name of the uploaded file containing point data ▼

Whytes Gully Return Data 2025.pdf

B2 Concentration Monitoring Comments

See attached return data

B3. Volume or Mass Monitoring Summary

For each volume or mass monitoring point identified in your licence, details are displayed below. If volume or mass monitoring is not required by your licence, **no data** will appear below.

If data was provided from an uploaded file, the file name will be displayed below instead of any data.

Note that this does not exclude the need to conduct appropriate volume or mass monitoring of assessable pollutants are required by load-based licensing (if applicable).

C. Statement of Compliance - Licence Conditions

C1. Compliance with Licence Conditions

Were all conditions of the licence complied with (including monitoring and reporting requirements)?	No
---	----

C2. Details of Non-Compliance with Licence

Licence condition number not complied with ▼
L2-Point 1
Summary of particulars of the non-compliance ▼
Exceedance of pH and/or Total Suspended Solids (TSS) on 29 occasions due to the impacts of significant rainfall events.
Further details on particulars of non-compliance, if required ▼
Dates the non-compliances occurred are as follows: 7/6/24-12/6/24, 4/7/2024, 5/7/2024,9/7/24, 10/7/24, 2/12/24- 6/12/24, 16/1/25-23/1/25, 22/5/25- 27/05/25 On 5 occasions pH was non-compliant, on 22 occasions TSS was non-compliant and 2 occasions where both were non-compliant.
Number of times occurred ▼
29
Date(s) when the non-compliance occurred, if applicable ▼
see above
Cause of non-compliance ▼
Stormwater Overflow of Pond 3 as a result of significant rainfall events. Heavy rainfall in June 2024, November 2024, January 2025 and May 2025 did not allow for the normal settling and storage freeboard to be gained to reduce TSS and stabilise pH. Two Natural Disaster Declarations occurred in this reporting period.
Action taken or that will be taken to mitigate any adverse effects of the non-compliance ▼
Weekly water sampling undertaken of all 3 stormwater ponds to determine the best treatment to improve water quality. Flocculation of the construction sediment ponds entering the stormwater management system was undertaken (prior to discharge) to ensure compliance with TSS and pH license conditions. Aeration of Pond 2 and 2 lower pH levels entering Pond 3.
Action taken or that will be taken to prevent a recurrence of the non-compliance ▼
Continual water quality monitoring of the pond system, compliant discharge from Pond 3 (where possible) to regain maximum freeboard.
Uploaded Document Name ▼

Uploaded Document Description ▼
Licence condition number not complied with ▼
M2
Summary of particulars of the non-compliance ▼
Exceedance of surface gas (methane) on 2 occasions.
Further details on particulars of non-compliance, if required ▼
See attached Annual Report.
Number of times occurred ▼
2
Date(s) when the non-compliance occurred, if applicable ▼
21/8/24, 19/9/24
Cause of non-compliance ▼
Landfill gas manifold connections had been closed as a precaution for construction/relocation works.
Action taken or that will be taken to mitigate any adverse effects of the non-compliance ▼
A monthly report was provided to the EPA outlining control measures and milestones against the Odour Mitigation Plan. Increased landfill gas infrastructure installed this reporting period.
Action taken or that will be taken to prevent a recurrence of the non-compliance ▼
A monthly report was provided to the EPA outlining control measures and milestones against the Odour Mitigation Plan. Increased landfill gas infrastructure installed this reporting period.
Uploaded Document Name ▼
Uploaded Document Description ▼

D. Statement of Compliance - Load Based Fee Calculation



Annual Return

WOLLONGONG CITY COUNCIL

Licence 5862

If you are not required to monitor assessable pollutants by your licence, **no data** will appear below.

If assessable pollutants have been identified on your licence, the following worksheets for each assessable pollutant will determine your load based fee for the licence fee period to which this Annual Return relates.

Loads of assessable pollutants must be calculated using any of the methods provided in EPA's Load Calculation Protocol for the relevant activity. A Load Calculation Protocol would have been already sent to you with your licence. If you require additional copies, you can download the Protocol from the EPA's website or you can contact us on telephone 02 9995 5700.

You are required to keep all records used to calculate licence fees for four years after the licence fee was paid or became payable, whichever is the later date.

E. Statement of Compliance - Requirement to Prepare PIRMP

Have you prepared a Pollution Incident Response Management Plan (PIRMP) as required under section 153A of the Protection of the Environment Operations (POEO) Act 1997?		Yes
Is the PIRMP available at the premises?		Yes
Is the PIRMP available in a prominent position on a publicly accessible website?		Yes
Address of the web page where the PIRMP can be accessed ▼		
https://wollongong.nsw.gov.au/your-council/plans-and-reports/waste-site-reports		
Has the PIRMP been tested?		Yes
The PIRMP was last tested on	15-5-2025	
Has the PIRMP been updated?		Yes
The PIRMP was last updated on	22-5-2025	
Number of times the PIRMP was activated in this reporting period?		4
The PIRMP was activated on	7/6/24, 2/12/24, 16/1/25, 22/5/25	

F. Statement of Compliance - Requirement to Publish Pollution Monitoring Data

Are there any conditions attached to your licence that require pollution monitoring to be undertaken as required under section 66(6) of the Protection of the Environment Operations (POEO) Act 1997?		Yes
Do you operate a website?		Yes
Is the pollution monitoring data published on your website in accordance with the EPA's written requirements for publishing pollution monitoring data?		Yes
Address of the web page where the pollution monitoring data can be accessed ▼		

<https://wollongong.nsw.gov.au/your-council/plans-and-reports/waste-site-reports>

G. Statement of Compliance - Environment Management System and Practices

Do you have an ISO 14001 certified Environmental Management System (EMS) OR any other system that EPA considers is equivalent to the accountability, procedures, documentation and record keeping requirements of an ISO 14001 certified EMS?	No
Have you conducted an assessment of your activities and operations to identify the aspects that have a potential to cause environmental impacts and implemented operational controls to address these aspects?	Yes
Have you established and implemented an operational maintenance program, including preventative maintenance?	Yes
Do you keep records of regular inspections and maintenance of plant and equipment?	Yes
Do you conduct regular (at least yearly) environmental audits at the premises that are conducted by a competent and independent person?	Yes
Have you undertaken an independent environmental audit covering documented environmental practices, procedures and systems in place during the annual return period?	No
Have you established and implemented an environmental improvement or management plan?	Yes
Do you train staff in environmental issues that may arise from your activities and operations at the premises and keep records of this?	Yes

H. Signature and Certification

This Annual Return may only be signed by person(s) with legal authority to sign it as set out in following categories: an Individual, a Company, a Public authority or a Local council.

It is an offence under section 66 of the Protection of the Environment Operations Act 1997 to supply any information in this form that is false or misleading in a material respect, or to certify a statement that is false or misleading in a material respect. There is a maximum penalty of \$250,000 for a corporation and \$120,000 for an individual.

I/We

- declare that the information in the Monitoring and Complaints Summary in Section B of this Annual Return application is correct and not false or misleading in a material respect, and
- certify that the information in the Statement and Compliance in sections A, C, D, E, F, G and H and any other pages attached to Section C is correct and not false or misleading in a material respect.



Annual Return

WOLLONGONG CITY COUNCIL

Licence 5862

Signature	
Name	Bevanna Mawrot
Position	General Manager
Date	12 ' 9 ' 15
Declaration I declare that the information in the Monitoring and Complaints Summary in section B of this Annual Return is correct and not false or misleading in a material respect, and I certify that the information in the Statement of Compliance in section A,C,D,E,F and G and any pages attached to Section C is correct and not false or misleading in a material respect.	